SKINTOP® DIX 21380

Article No.: 53621380

Multiple sealing insert; PG 21; Number of cable entries: 3pc.; Borehole diameter: 0.315 in; natural



Details

Notes

Unless specified otherwise, the product values shown are rated values at room temperature. You can receive additional values, such as tolerances, upon request if they are available and have been released for publication.

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

If applicable, the prices are solid metal prices without additional charges and VAT. Sales only to business customers.

Remarks

Technical Data

General information

Brand	SKINTOP®
Product type	Multiple sealing insert
Type of packaging	Bag

© (2026) Lapp Group - all rights reserved.

Delivery Unit	50
customs code	3926909985

Electrical parameters

Product design

Number of cable entries	3 pc.
Slotted	No
Overall height	0.453 in
Borehole diameter	0.315 in
Thread size	PG 21
EMC shielding	No
Material	Silicone
Colour description	natural

Product features

IP protection rating	IP 68 - 5 g/cm² (30 min) IP 54
Suitable for EX-applications	No
Temperature (min.)	-50 °C
Temperature (max.)	180 °C
Flame-retardant	Yes
UV-resistant	No
Chemical resistant	Yes
Acid-resistant	Yes
Halogenfree	No
Oil resistant	Yes

Certifications and standards

CE marking	Yes
Ecolab certified	No

© (2026) Lapp Group - all rights reserved.

SKINTOP® DIX

Article No.	Name	Thread size	Borehole diameter	Number of cable entries	Delivery Unit
53607225	SKINTOP® DIX 7225	PG 7	0.098 in	2 pc.	100
53607417	SKINTOP® DIX 7417	PG 7	0.067 in	4 pc.	100
53609230	SKINTOP® DIX 9230	PG 9	0.118 in	2 pc.	100
53611225	SKINTOP® DIX 11225	PG 11	0.098 in	2 pc.	100
53611240	SKINTOP® DIX 11240	PG 11	0.157 in	2 pc.	100
53611330	SKINTOP® DIX 11330	PG 11	0.118 in	3 pc.	100
53611430	SKINTOP® DIX 11430	PG 11	0.118 in	4 pc.	100
53613250	SKINTOP® DIX 13250	PG 13,5	0.197 in	2 pc.	100
53613340	SKINTOP® DIX 13340	PG 13,5	0.157 in	3 pc.	100
53613440	SKINTOP® DIX 13440	PG 13,5	0.157 in	4 pc.	100
53616140	SKINTOP® DIX 16140	PG 16	0.157 in	1 pc.	50
53616225	SKINTOP® DIX 16225	PG 16	0.098 in	2 pc.	50
53616240	SKINTOP® DIX 16240	PG 16	0.157 in	2 pc.	50
53616260	SKINTOP® DIX 16260	PG 16	0.236 in	2 pc.	50
53616340	SKINTOP® DIX 16340	PG 16	0.157 in	3 pc.	50
53616350	SKINTOP® DIX 16350	PG 16	0.197 in	3 pc.	50
53616356	SKINTOP® DIX 16356	PG 16	0.22 in	3 pc.	50
53616360	SKINTOP® DIX 16360	PG 16	0.236 in	3 pc.	50
53616440	SKINTOP® DIX 16440	PG 16	0.157 in	4 pc.	50
53616450	SKINTOP® DIX 16450	PG 16	0.197 in	4 pc.	50
53616540	SKINTOP® DIX 16540	PG 16	0.157 in	5 pc.	50
53621270	SKINTOP® DIX 21270	PG 21	0.276 in	2 pc.	50
53621280	SKINTOP® DIX 21280	PG 21	0.315 in	2 pc.	50
53621370	SKINTOP® DIX 21370	PG 21	0.276 in	3 pc.	50
53621380	SKINTOP® DIX 21380	PG 21	0.315 in	3 pc.	50
53621460	SKINTOP® DIX 21460	PG 21	0.236 in	4 pc.	50
53621550	SKINTOP® DIX 21550	PG 21	0.197 in	5 pc.	50
53621640	SKINTOP® DIX 21640	PG 21	0.157 in	6 pc.	50
53629290	SKINTOP® DIX 29290	PG 29	0.354 in	2 pc.	50
53629390	SKINTOP® DIX 29390	PG 29	0.354 in	3 pc.	50

© (2026) Lapp Group - all rights reserved.

Article No.	Name	Thread size	Borehole diameter	Number of cable entries	Delivery Unit
53629470	SKINTOP® DIX 29470	PG 29	0.276 in	4 pc.	50
53629480	SKINTOP® DIX 29480	PG 29	0.315 in	4 pc.	50
53629490	SKINTOP® DIX 29490	PG 29	0.354 in	4 pc.	50
53629556	SKINTOP® DIX 29556	PG 29	0.22 in	5 pc.	50
53629570	SKINTOP® DIX 29570	PG 29	0.276 in	5 pc.	50
53629675	SKINTOP® DIX 29675	PG 29	0.295 in	6 pc.	50

© (2026) Lapp Group - all rights reserved.

V1.1

© (2026) Lapp Group - all rights reserved.