SILVYN® FG NM 1 1/4IN 35.1 X 41.8 BU 15M

Article No.: 55503374

Protective cable conduit with plastic spiral; Inner diameter: 1.394in; Outer diameter: 1.646in; Nominal size: 1/4; Polyvinylchloride;



Details

Application

- Plant engineering

Notes

Unless specified otherwise, the product values shown are rated values at room temperature. You can receive additional values, such as tolerances, upon request if they are available and have been released for publication.

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

If applicable, the prices are solid metal prices without additional charges and VAT. Sales only to business customers.

Trade product, not a LAPP product.

Remarks

Trade product, not a LAPP product.

© (2026) Lapp Group - all rights reserved.

Technical Data

General information

Brand	SILVYN®
Product type	Protective cable conduit with plastic spiral
Delivery Unit	15
customs code	3917320050

Electrical parameters

Product design

With bending protection	No
Bending protection fixed installation	No
Flexibly installed bending protection	No
Slotted	No
Resistance against hot swarf	No
Inner diameter	1.394 in
Outer diameter	1.646 in
Total length	0.591 in
Clear width	1.394 in
Nominal size	1/4 "
EMC shielding	No
jacket material	Polyvinylchloride
Material conduit	Polyvinylchloride
Conduit material, short form	PVC
Coil material	Hard PVC
Conduit surface externally smooth	Yes
Smooth inner conduit surface	Yes
Colour description	blue

Product features

For permanent bending	No
IP protection rating	IP 67

© (2026) Lapp Group - all rights reserved.

Suitable for EX-applications	No
Alternating bending resistance	Yes
Bending radius, dynamic	10.63 in
Bending radius, static	8.858 in
Short term temperature max.	80 °C
Flame-retardant	Yes
UV-resistant	No
Chemical resistant	Yes
Acid-resistant	No
Halogenfree	No
Oil resistant	Yes
Impact proof	Yes

Certifications and standards

CE marking	Yes
EAC certified	Not required
EAC certification number	Отказное письмо № 505
UL recognized	No
UL listed	No
cUR recognized	No
cUL listed	No
CSA certified	No
VDE certified	No
Product standard according to IEC	IEC 61386-1 IEC 61386-23
GGVS certified	No
DNV-certified	No
Ecolab certified	Yes
NSF certified	Yes
FDA certified	Yes
FDA certification according to	CFR 21
EHEDG certified	No

© (2026) Lapp Group - all rights reserved.

SILVYN® FG NM

Article No.	Name	Inner diameter	Outer diameter	Nominal size	Total length	Colour description	Delivery Unit
55503370	SILVYN® FG NM 3/8IN 12.6X17.8 BU 30M	0.496 in	0.701 in	3/8 "	1.181 in	blue	30
55503371	SILVYN® FG NM 1/2IN 16.0 X 21.1 BU 30M	0.63 in	0.831 in	1/2 "	1.181 in	blue	30
55503372	SILVYN® FG NM 3/4IN 21.0 X 26.4 BU 30M	0.831 in	1.039 in	3/4 "	1.181 in	blue	30
55503373	SILVYN® FG NM 1IN 26.5 X 33.1 BU 30M	1.055 in	1.303 in	1 "	1.181 in	blue	30
55503374	SILVYN® FG NM 1 1/4IN 35.1 X 41.8 BU 15M	1.394 in	1.646 in	1/4 "	0.591 in	blue	15

© (2026) Lapp Group - all rights reserved.

V1.1

© (2026) Lapp Group - all rights reserved.